3.3 X 3.3FT. SEGO MODULAR LIGHTBOX

SEGO MODULAR LIGHTBOX DISPLAY
PRODUCT CODE: SEGO-100X100X12

expandbiz

expandbizdisplays.com • Tel: 626-727-3716

LIFE TIME — On frame
1 YEAR — On graphic
SINGLE SIDED
DOUBLE SIDED
INDOOR USE

PRODUCT DESCRIPTION

The advanced technology of the new SEGO modular lightbox system combines innovation with intuition. Toolless down to its feet, SEGO is designed to help heighten your display experience. Magnetic electrical connectors light up the UL certified LED lights that come pre-installed in the profiles. Electrical wires stay hidden from view. Edge-to-edge customizable SEG backlit fabric graphics cover the front and back of the aluminum frame. Portable, configurable, desirable, SEGO is a lightbox unlike the others. SEGO is so well thought out, even its durable foam cut carry bag is made distinctly to keep all parts and pieces protected and organized.

DISPLAY DIMENSIONS	39"W x 39"H x 16.5"D
GRAPHIC SIZE	39.625"W x 39.75"H

GRAPHIC MATERIAL
Dye Sub Backlit Fabric

GRAPHIC FINISHING
Silicone beading sewn onto edge of graphic

DISPLAY CONSTRUCTION
Aluminum extrusion frame with plastic components

SHIPPING WEIGHTS & DIMENSIONS

Shipping Weight	21.5 lbs (frame only) 23 lbs (frame & graphic)
Shipping Dimensions	45.5"W x 15.5"H x 6.75"D

GRAPHIC TURN AROUND TIME
2 business days after proof approval (up to 6 sets)

AVAILABILITY	CA

LED LIGHT SPECIFICATION	
BRAND	Osram
POWER	3W
CCT (COLOR TEMP)	6800k
AVERAGE BEAM ANGEL	20 °
LM/W	130
AVG LM/M^2	4800-5800
VOLTAGE INPUT	24V

TRANSFORMER SPECIFICATION	
POWER RATE 2 TRANSFORMERS	95W, 252W
CERTIFICATES	UL, CE, GEM
VOLTAGE INPUT	100-240V
VOLTAGE OUTPUT	24V

LUMENS	
VOLTAGE (V)	24
POWER (W)	45
LM/W	130
TOTAL LM	5850
AVG LM	5850
CU	.8
EAV	4680

TOOL FREE ASSEMBLY

MAGNETIC WIRE CONNECTION

CLEAN CABLE MANAGEMENT

TOOL FREE FOOT CONNECTION

# PARTS LIST

(qty 1)
Horizontal Profile Bottom

(qty 1)
Horizontal Profile Top


(qty 2)
Vertical Profile

(qty 1)
S Cable

(qty 2)
Feet

(qty 1)
Transformer

(qty 1)
Travel Bag

## AVAILABLE ACCESSORIES

SEGO-HLCON
SEGO High-low Connector

SEGO-OLCON
SEGO L Connector Outside

SEGO-SCON
SEGO Straight Connector

SEGO-ILCON
SEGO L Connector Inside

SET UP INSTRUCTIONS

①

②

③

④